



# Ammunition Data Sheet

## TNQ .308 Win 168gr Hunting

*“I will never quit. My nation expects me to be physically harder and mentally stronger than my enemies. If knocked down i will get back up, every time. I will draw on every remaining ounce of strength to protect my teammates and to accomplish our mission. I am never out of the fight.”*

It is the above thought process and focus that drives the TNQ brand and ammunition line. Marcus, is a strong advocate of proper training and tactical shooting with the best possible ammunition that can be put through your weapon. This vision combined with the TNQ purpose of providing a brand for the customers who never quit, overcome adversity, and love their country provide the best possible ammunition product, whether it be at the range, at a match, or to rely on for self defense.

The challenges for Operators are increasing at a time when their resources are stretched tighter than ever. To say nothing of global threats that can be as varied as they are capable. From the lethality of a conventional enemy to the unpredictability of a terrorist, today’s shooter has to be prepared for every threat whether home or on the battlefield.

### Long Range Effectiveness

Our Hunting round is in line accuracy wise with our match round and has been independently verified by the highest level of both military and LE shooter’s achieving .5 to .65” MOA at 800 meters and will provide superb precision out to 1,000 meters. Tuned for 1/11.25” twist.



Our ammunition is precisely gauged with clean burning powder and precision bullets. Additionally, every round is hand inspected for defects and chamber gauged to guarantee flawless operation in the field. Marcus has inserted himself into the Quality process, personally testing the ammo, to put his name behind every round of ammunition produced in the TNQ brand!

TNQ is 100% Made in the USA ammunition. A percentage of the revenue generated on every round goes to support the Lone Survivor Foundation – [www.lonesurvivorfoundation.org](http://www.lonesurvivorfoundation.org), assisting our wounded Military Service members with health, wellness, and therapeutic support.



## Specifications

Ammunition Caliber	.308 Winchester	Neck Diameter	.34 in (8.6 mm)
Ammunition Type	Hunting	Case Type	New
Bullet Manufacturer	Maker	Case Length	2.0 in (50.8 mm)
Bullet Type	Solid Copper BT	Projectile Overall Length	SAAMI
Bullet Acronym	T-Rex ®	Muzzle Velocity	2,494 ft/s (760 MPa)
Ballistic Coefficient	.352	Projectile Energy	1,235 ft-lb (3,439 J)
Sectional Density	.264	Max Avg Chamber Pressure	60,000 psi
Bullet Length	1.266	SAAMI Chamber Pressure	62,000 psi (427 MPa)
Bullet Weight	168 grains	Sound	157.4 dB
Bullet Diameter	.308 in (7.8 mm)		
Primer Type	WIN LR		
Test Barrel Length	24 in (410 mm)		

Range (yards)	Velocity (ft/sec)	Energy (ft-lbs)	Wind Drift (click)	Wind Drift (1 MOA)	Trajectory (click)	Trajectory (1 MOA)	Total Drop (inches)	Flight Time (seconds)
0	2500	2333	0	0	0	0	0	0
25	2439	2220	-0.2	-0.04	-5.5	-1.37	-0.56	0.0598
50	2379	2111	-0.3	-0.08	0	0	0.02	0.1218
100	2260	1906	-0.4	-0.11	5.7	1.44	0.00	0.1861
150	2145	1717	-0.6	-0.15	11.8	2.95	-1.72	0.2529
200	2033	1543	-0.7	-0.18	18.2	4.54	-5.33	0.3224
250	1925	1383	-0.9	-0.22	24.9	6.21	-11.04	0.3945